

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(inlet or (pressure near increas\$3)) with (outlet or (pressure near decreas\$3)) with (normally near closed) with solenoid with "2/2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:09
L2	0	(inlet or (pressure near increas\$3)) with (outlet or (pressure near decreas\$3)) with ((normally or de-energized) near closed) with solenoid with "2/2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:09
L3	0	(inlet or (pressure with increas\$3)) with (outlet or (pressure with decreas\$3)) with ((normally or de-energized) near closed) with solenoid with "2/2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:09
L4	47	(inlet or (pressure with increas\$3)) with (outlet or (pressure with decreas\$3)) with ((normally or de-energized) near closed) with solenoid with (2 ner way)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:10
L5	9	(inlet or (pressure with increas\$3)) with (outlet or (pressure with decreas\$3)) with ((normally or de-energized) near closed) with solenoid with (two near way)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:10
L6	0	(inlet or (pressure with increas\$3)) with (outlet or (pressure with decreas\$3)) with ((normally or de-energized) near closed) with solenoid with "2/2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:12
L7	183	"2/2" near way near valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:17
L8	19	7 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:17
L9	0	(pump with continuous\$3 with pressure with (increas\$3 or build) with separation with valve \$1 with decreas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:51
L10	4	(pump with pressure with (increas\$3 or build) with separation with valve\$1 with decreas\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:51

L11	37	(pump with pressure with (increas\$3 or build) with valve\$1 with decreas\$3 with continuous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:52
L12	1	11 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 23:52
L17	3	((("20010006305") or ("4796958") or ("5071201"))).PN.	US-PGPUB; USPAT	OR	OFF	2010/08/15 00:57
L27	239	303/158,159.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/15 01:09
S1	333	(feigel-h\$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:15
S2	34	S1 and electrohydraulic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:15
S3	5	S1 and (electrohydraulic with valve with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:15
S4	3	S1 and (bore\$1 with integrated with valve with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:17
S5	32891	"303"/\$.ccls.(bore\$1 with integrated with valve with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:17
S6	6	"303"/\$.ccls. and (bore\$1 with integrated with valve with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:17
S7	7	("4937553" "5820228" "6007162" "6126244" "6374679" "6554375").PN. OR ("6773078").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/08/12 19:20
S8	0	(inlet with outlet with valve\$1 with cylinder\$1 with (pressure near sensor\$1) with (within or inside or accommodat\$3) with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:30
S9	1	(valve\$1 with cylinder\$1 with (pressure near sensor\$1) with (within or inside or accommodat\$3) with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:30

S10	21	(valve near block) with (damage or eliminat\$3) with (conduit\$1 or cable\$1 or lines)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:31
S11	0	S10 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:31
S12	1	S10 and brak\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:32
S13	5	("2001006305").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:37
S14	0	("2001006305").PN.	USPAT	OR	OFF	2010/08/12 19:37
S15	0	("2001006305").PN.	US-PGPUB	OR	OFF	2010/08/12 19:38
S16	329628	(nakamura).in. and pd= "20010705"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:39
S17	153	S16 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:39
S18	27	S16 and "303"/\$.ccls.	US-PGPUB	OR	OFF	2010/08/12 19:39
S19	8	"4435623"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:41
S20	121	303/dig.10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:47
S21	0	(all with (connections or lines or conduits or cables) with bores with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:53
S22	63	((connections or lines or conduits or cables) with bores with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:54
S23	1	(valve\$1 with sensor\$1 with pump with (connections or lines or conduits or cables) with bores with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:54
S24	1	(valve\$1 with sensor\$1 with (connections or lines or conduits or cables) with bores with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:54

S25	1	(valve\$1 with sensor\$1 with (connections or lines or conduits or cables) with (bores or within or accommodat\$3) with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:55
S26	38	(valve\$1 with sensor\$1 with (bores or within or accommodat \$3) with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:55
S27	0	(valve\$1 with sensor\$1 with (bores or within or accommodat \$3) with (valve near block) with (eliminate or need or damage or leak\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:55
S28	6	(valve\$1 with sensor\$1 with (bores or within or accommodat \$3) with (valve near block)) and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 19:56
S29	2	"19514383"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:00
S30	1	("6007162").PN.	USPAT	OR	OFF	2010/08/12 20:01
S31	3048	303/3,10,15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:18
S32	46	S31 and (valve near block\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:18
S33	13	S31 and (valve\$1 with (pressure near (sensor\$1 or sensing))) with integrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:19
S34	13	S31 and ((valve\$1 with (pressure near (sensor\$1 or sensing))) with integrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:19
S35	0	((separation near valve\$1 near open) with (inlet near valve\$1 near closed) with (outlet near valve\$1 near closed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:27
S36	0	((separation near valve\$1 near normally) with (inlet near valve \$1 near normally) with (outlet near valve\$1 near normally))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:28
S37	8	((separation near valve\$1) with (inlet near valve\$1) with (outlet near valve\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:28

S38	8	((separation near valve\$1) with ((inlet or increas\$3) near valve \$1) with ((outlet or decreas\$3) near valve\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:29
S39	1	S38 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:30
S40	213	(separation with ((increas\$3 or decreas\$3) near pressure) with valve\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:30
S41	8	S40 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:30
S42	62382	(tanaka-y\$ or nakaoka-h\$ or mizutani-y\$ or nakamura-e\$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:34
S43	98	S42 and (brake near control\$3). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:34
S44	12	S43 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:35
S45	6	S44 and separation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:35
S46	1	("5568962").PN.	USPAT	OR	OFF	2010/08/12 20:37
S47	0	((pressure near (sensor or sensing)) with valve\$1 with pump with integrat\$3 with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:42
S48	0	((pressure near (sensor or sensing)) with valve\$1 with pump with integrat\$3 with (valve near (block or housing)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:42
S49	6	((pressure near (sensor or sensing)) with valve\$1 with pump with integrat\$3 with ((block or housing)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:42
S50	3	"303"/\$.ccls. and ((line\$1 or conduit\$1 or passage\$1 or passageway\$1) with heated with viscosity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:48
S51	0	((rubber or elastic or elastomer \$3) with between with pedal with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:51

S52	2	((rubber or elastic or elastomer \$3) with pedal with (valve near block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:52
S53	291	((rubber or elastic or elastomer \$3) with pedal with (housing or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:56
S54	104	((rubber or elastic or elastomer \$3) with pedal with (mounted or connected or attached) with (housing or block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:56
S55	12	S54 and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/12 20:56
S56	1	("20060261528").PN.	US-PGPUB	OR	OFF	2010/08/13 13:26
S57	1	("6802403").PN.	USPAT	OR	OFF	2010/08/13 13:42
S58	10	"4001358"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/13 16:08
S59	2	("5069508").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/13 17:17
S60	1	"10/567300"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/13 18:06
S61	1181	303/119.1,119.2,119.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/13 22:20
S62	3119	((heat\$3 or warm\$3) with (connection\$1 or line\$1 or conduit\$1 or passage\$1 or passageway\$1) with pump with reservoir)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 11:55
S63	7	((heat\$3 or warm\$3) with (connection\$1 or line\$1 or conduit\$1 or passage\$1 or passageway\$1) with pump with reservoir) and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 12:23
S64	1404	303/115.4,116.1,116.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 17:13
S65	1181	303/119.1,119.2,119.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 17:14

S66	1202	S64 not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 17:14
S67	15	(reservoir with (detect\$3 or sens \$3) with level with chamber\$1) and "303"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/14 17:36

EAST Search History (Interference)

<This search history is empty>

8/ 15/ 10 1:22:32 AM

C:\ Documents and Settings\ mburch\ My Documents\ EAST\ Workspaces\ 10567300.wsp